

01/10/2020

Company: SomaHealth Inc.
 Product: Suplify
 Test: Microbiology

Certificate of Analysis M590988

REPORT #	PRODUCT / TEST	METHOD	SPECIFICATIONS	RESULT	UNITS
M590988-01	POWDER BEVERAGE MIX				
	STANDARD PLATE COUNT SPC	FDA(BAM)CH.3 / AOAC 966.23	<10,000,000 CFU/g	1,600,000	CFU/g
	COLIFORM (PETRIFILM)	AOAC 991.14/998.08	<20,000 CFU/g	300	CFU/g
	E.COLI (PETRIFILM)	AOAC 991.14/998.08	<25g	<10	CFU/g
	STAPHYLOCOCCUS AUREUS	AOAC 975.55 / FDA BAM CH.12	<25g	<10	CFU/g
	SALMONELLA EASY (VIDAS-25G)	AOAC 2011.03	Absent/25g	NEGATIVE	
	LISTERIA SPP. (VIDAS/25g)	AOAC 2004.06/999.06	Absent/25g	NEGATIVE	
	LISTERIA MONOCYTOGENES (VIDAS/25G)	AOAC 2004.02	Absent/25g	NEGATIVE	
YEAST	FDA(BAM)CH.18	<100,000 CFU/g	<10	CFU/g	
MOLD	FDA(BAM)CH.18	<100,000 CFU/g	3,200	CFU/g	

RESULTS APPLY ONLY TO THE SAMPLES TESTED

END OF REPORT